Technical Data Sheet

Doc No – Ab/TDS/MRB-135-II

Rev No: 04 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Jumbo Test Tube Rack, RPP

Valid for Cat. No. P20443, P20444,

1. Description/Specification:

1.1 Description:

Jumbo Test Tube Rack, RPP

1.1.1These innovative jumbo test tube racks are used for high capacity storage for tubes, vessels & vials.

1.2 Design:

Ergonomic design for easy handling Holes are keyed with molded-in- numbers and letters for easy identification.

1.3 Performance Specifications:

Code	Tubes (mm)	Places	L x W x H (mm)	No. Per Case
P20443	10-13	216	337x267x91	1
P20444	13-16	120	337x267x91	1

1.4 Material:

- 1.4.1 Polycarbonate (PC), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests, Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color: White, Blue

1.6 Sterilization:



Ph. No: +91- (0) 1332235277

GST: 05AAGCA8605A1Z7

Email:labtech@abdosindia.com Web: www.abdoslifesiences.com

Abdos Labtech Private Limited

Technical Data Sheet

NA

1.7 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

1.8 Other information

Reusable, can be used in wide temperature range

1.9. Basic Features

1.9.1 Temperature range: -86° C to $+121^{\circ}$ C

1.9.2 Autoclavability: Yes, Autoclavable at 15 psi and 121°C for 20 minutes

1.9.3 Chemical resistance: See website (www.abdoslifesciences.com)

1.9.4 Manufactured in Aseptic Environment

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.



Technical Data Sheet









Abdos Labtech Pvt. Ltd.

Plot No. 1 Lakeshwari Bhag Email : labtech@sibdosindia Ph; +(91) 11 41061897 our Roarkee 247667 (UK) India






Quality Assurance Incharge

Abdos Labtech Pvt. Ltd.







Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7