

Technical Data Sheet

Doc No–Ab/TDS/GLP-189

Rev No: 03 Date 01/2021

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Slide Staining System, Acetal

Valid for Catalog No. P90114

1. Description/Specification

1.1 Description: Slide Staining System, Acetal

1.1.1 This system has two components a square staining jar and a 12- position vertical slide rack.

1.1.2 This system is made of acetal plastic and will not break like glass jars.

1.1.3 Superior chemical resistant.

1.1.4 The base is wide and offers greater stability while the inside is recessed allowing for a smaller reagent volume of only 80ml.

1.1.5 Resist temperature between -150°C to 121°C & can be autoclaved.

1.2 Design:

Square jar and vertical slide rack.

1.3 Performance Specifications:

Code	Places	L x W x H (mm)	No. Per Case
P90114	12	64 x 76 x 92	1 Kit (Staining Jar + Slide Rack)

1.4 Material:

1.4.1 Acetal plastic, confirm US FDA 21CFR

1.4.2 Complies with requirement accordance with article of regulation (EC) No. 1907/2006 and its amendments.



Shiv Ganga Industrial Estate,
Plot no.1 Lakeshwari, Bhagwanpur,
Roorkee – 247667 Uttarakhand, India
An ISO 9001 ,13485, 14001 & CE Certified
A Division of Abdos

Regd. Office:
13A, Government Place (East)
Kolkata – 700069, India
GST : 05AAGCA8605A127

P : +91 (0) 1332 235277
E : labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN : U85100WB2008PTC123903

Technical Data Sheet

1.4.3 Complies with the requirement of European Pharmacopoeia, 7th edition (2011) & its supplements 7.5 (07/2012) monographs 3.2.2 Plastic Containers and closures for Pharmaceutical use.

1.4.4 The product has passed the USP testing including class VI tests & has been assigned the FDA Drug master file DMF 12123

1.4.5 Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

1.4.6 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water

1.4.7 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product

1.5 Color: White & Grey

1.6 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments

1.7 Other information

1.7.1 Impact resistant and tough.

1.7.2 Temperature range from -150°C to 121°C

1.7.3 Superior for its hardness, gloss, toughness, and electrical insulation properties.

1.7.4 Resist temperature between -150°C to 121°C

1.7.5 Can be autoclaved.

1.8 Basic Features:

1.8.1 Chemical resistance: see website (www.abdoslifesciences.com)

1.8.2 Manufactured in Aseptic Environment

1.8.3 Autoclavability: Yes



Shiv Ganga Industrial Estate,
Plot no.1 Lakeshwari, Bhagwanpur,
Roorkee – 247667 Uttrakhand, India
An ISO 9001 ,13485, 14001 & CE Certified
A Division of Abdos

Regd. Office:
13A, Government Place (East)
Kolkata – 700069, India
GST : 05AAGCA8605A127

P : +91 (0) 1332 235277
E : labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN : U85100WB2008PTC123903

Technical Data Sheet



Shiv Ganga Industrial Estate,
Plot no.1 Lakeshwari, Bhagwanpur,
Roorkee – 247667 Uttrakhand, India
An ISO 9001 ,13485, 14001 & CE Certified
A Division of Abdos

Regd. Office:
13A, Government Place (East)
Kolkata – 700069, India
GST : 05AAGCA8605A1Z7

P : +91 (0) 1332 235277
E : labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN : U85100WB2008PTC123903