## **Technical Data Sheet**

Doc No - Ab/TDS/MRB-131

Rev No: 05 Date 02/2022-23

#### TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.
Twisty Tube Rack, PP

Valid for Cat. No. P20210

### 1. Description/Specification:

- 1.1 Description: Twisty Tube Rack, PP
- 1.1.1 These racks make dilution and concentration study easier as it can transfer samples between 0.2ml PCR tubes to 0.5, 1.5 & 2.0ml tubes.
- 1.1.2 Can be rotated and customize according to end user application.
- 1.1.3 These racks have tapered wells that securely suspend tubes and makes removal easy.
- 1.1.4 Molded in indexing for easy retrieval of tubes.
- **1.2 Design:** Twisty Tube Rack

#### 1.3 Performance Specifications:

Code	L x W x H (mm)	No. Per Case
P20210	296x118x34	1 Kit (Blue + Purple)

Color	Product	Places
Blue	0.5 ml	48
	1.5/2.0ml	48
Purple	0.2ml	96
	1.5/2.0ml	48

#### 1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests, Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

Jasola, New Delhi - 110025



## **Technical Data Sheet**

- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

**1.5 Color:** Blue & Purple

1.6 Sterilization:

NA

### 1.7 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

#### 1.8 Other information

Reusable, can be used in wide temperature range

1.9 Basic Features

**1.9.1 Temperature range:**  $-80^{\circ}$ C to  $+121^{\circ}$ C

1.9.2 Autoclavability: Yes, Autoclavable at 15 psi and 121°C for 20 minutes

**1.9.3 Chemical resistance:** See website (www.abdoslifesciences.com)

1.9.4 Manufactured in Aseptic Environment

#### **Autoclaving Guideline for Plastics**

All plastic consumables are autoclavable at  $121^{\circ}$ C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least  $50^{\circ}$ C before removing product.

### **Instruction for Use**

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.



Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7

# **Technical Data Sheet**

#### **WARNING**

**DO NOT** store strong oxidizing agents.

**DO NOT** place any plastic labware in a flame.

**DO NOT** mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.





Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7