

TECHNICAL DATA SHEET

Doc No – Ab/TDS/ GLP-183

Rev No: 07 Date- 05/2024-25

Abdos Labtech Pvt. Ltd.
Slide Mailer, PP

Valid for Catalog No. P90107, P90108, P90109, P90110

SRN (Single Registration Number): IN-MF-000022272

1. Description/Specification

1.1 Description: Slide Mailer, PP

1.1.1 These slides Mailers are suitable for holding standard 25 x 75 mm slides.

1.1.2 They are ideal for secure shipping and storing of slides.

1.1.3 Easy to close secure snaps for storage of valuable slides.

1.2 Design: Rectangular Slide Mailer design

1.3 Performance Specifications:

Code	Places	L x W x H (mm)	No. Per Case
P90107	1	85 x 42 x 5	25
P90108	2	82 x 70 x 5	25
P90109	3	100 x 84 x 5	25
P90110	5	82 x 30 x 17	25

1.4 Material:

1.4.1 PP- Polypropylene (PP), confirm US FDA 21CFR

1.4.2 Free from Heavy metals, it is safe use in contact with food stuff, Pharmaceuticals & drinking water

TECHNICAL DATA SHEET

Doc No – Ab/TDS/ GLP-183

Rev No: 07 Date- 05/2024-25

Abdos Labtech Pvt. Ltd.
Slide Mailer, PP

1.4.3 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color: White

1.6 Quality control: Products are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments.

1.7 Other information

1.7.1 Impact resistant and tough.

1.7.2 Temperature range from -20°C to 120°C

1.7.3 Superior for its hardness, gloss, toughness, and electrical insulation properties.

1.8 Basic Features:

1.8.1 Autoclavability: Yes

1.8.2 Chemical resistance: see website (www.abdoslifesciences.com)

1.8.3 Manufactured in Aseptic Environment

1.8.4 Intended use: Widely used in scientific studies of molecular biology, clinical chemistry, biochemistry and any type of scientific laboratory.

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

TECHNICAL DATA SHEET

Doc No – Ab/TDS/ GLP-183

Rev No: 07 Date- 05/2024-25


Abdos Labtech Pvt. Ltd.
Slide Mailer, PP

Instruction for Use

Product can be used for food contact also.
Storage temp. Max 30°C
Before using the product check crackness etc.
Check all the information printed on pouches or boxes.
Always wear gloves while handling specimens.

WARNING

DO NOT store strong oxidizing agents.
DO NOT place any plastic labware in a flame.
DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure
Consult local fire codes prior to storage of flammable liquids.



Quality Manager

Abdos Labtech Private Limited

Employee Code 30110



TECHNICAL DATA SHEET

Doc No – Ab/TDS/ GLP-183

Rev No: 07 Date- 05/2024-25

Abdos Labtech Pvt. Ltd.
Slide Mailer, PP

