

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-52 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Last Drop Low Retention Pipette Tips, Racked PP

Valid for Cat. No. P10020, P10021, P10022, P10023, P10024, P10025, P10026, P10027 SRN (Single Registration Number): IN-MF-000022272

1. Description/Specification

1.1 Description: Disposable PP Micropipette Racked Tips, DNase, RNase, Human DNA, ATP & Pyrogen Free, CE & IVD certified.

1.2 Design: Tip: Open Cylindrical Upper and conical Apex with orifice for liquid dispensing

Box: Rectangular Box with Transparent Top Cover with slip lock. Removable Micro tip Tray Suitable to Work in a Robotic System. Compatible for use with Multichannel Pipettes Top cover mark A-H in Y-axis for easy discrimination.

1.3 Performance Specifications:

Code	Capacity (µl)	No./Case	Colour
P10020	0.1-10 (Graduated)	10 Racksx96pcs	Natural
P10021	0.1-10 Extended (Graduated)	10 Racksx96pcs	Natural
P10022	1-200 (Bevelled Graduated)	10 Racksx96pcs	Natural
P10023	1-200 (Xtreme Point Tip Orifice)	10 Racksx96pcs	Natural
P10024	1-300 (Graduated)	10 Racksx96pcs	Natural
P10025	100 – 1000ul	10 Racksx96pcs	Natural
P10026	100 – 1000ul XL	10 Racksx96pcs	Natural
P10027	100 – 1250ul	10 Racksx96pcs	Natural

Abdos Labtech Private Limited
(A Divison of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur
Roorkee-247667, (UK) INDIA
Lic. No.: MFG/IVD/2024/000158 & MFG/MD/2024/000898

Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com



TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-52 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Last Drop Low Retention Pipette Tips, Racked PP

1.3.2 Fitting to pipettes: Universal Fit (For detail refer the Abdos compatibility chart)

1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 The product complies with USP class VI. Free from Heavy metals, it is safe to use in contact with food stuff, Pharmaceuticals & drinking water.
- 1.4.3 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Tip Colour -Natural

Wafer Colour - 10ul Green, 20 to 100ul Yellow, 200 to 300ul Orange, 1000ul Blue, 1000XL & 1250ul Light Blue, 5 & 10ml Purple

1.6 Sterilization: NA

- **1.7 Quality control:** Products are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.
- **1.8 Other information:** Reusable, only box can be autoclavable up to 10 autoclave cycle. The retention level is minimal, diamond polished moulds for an extremely hydrophobic & smooth surface to ensure lowest retention in its class. Tips are of single used only.
- 1.9. Basic Features:
- 1.9.1 Made up of: High Purity Virgin Polypropylene (PP)



TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-52 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Last Drop Low Retention Pipette Tips, Racked PP

1.9.2 Temperature range: -80°C to + 121°C for 20 minutes

1.9.3 Autoclavability: Yes, Autoclavable at 15 psi and 121 0 C for 20 minutes

1.9.4 Chemical resistance: see website (www.abdoslifesciences.com)

1.9.5 Retention: Best in its class (with Acidic & Basic dyes)

1.9.6 Manufactured in Clean room ISO Class 8 (100,000)

1.9.7 Intended use: Widely used in scientific studies of molecular biology, clinical chemistry, biochemistry and any type of scientific laboratory.

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimens.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure.

Consult local fire codes prior to storage of flammable liquids.

Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com



Ph. No: +91- (0) 1332235277


Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-52 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Last Drop Low Retention Pipette Tips, Racked PP









Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-52 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Last Drop Low Retention Pipette Tips, Racked PP

