

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP

Valid for Cat. No. P11021, P11023, P11025, P11027, P11029, P11033, P11035, P11037, P11047, P11048, P10172, P10173

SRN (Single Registration Number): IN-MF-000022272

1. Description/Specification

1.1 Description:

- 1.1.1 Pipette Tips Filter, Sterile Racked, DNase, RNase, Human DNA, ATP & Pyrogen Free, CE & IVD certified.
- 1.1.2 Sterile by Gama Radiation.

1.2 Design:

Tip: Open Cylindrical Upper and conical Apex with orifice for liquid dispensing. Precise graduation mark for error free pipetting.

Box: Rectangular Box with Transparent Top Cover with slip lock. Removable Micro tip Tray Suitable to Work in a Robotic System. Compatible for use with Multichannel Pipettes Top cover mark A-H in Y-axis for easy discrimination.

1.3 Performance Specifications:

Code	Capacity (μl)	No./Case	Colour
P11021	0.1-10 (Graduated)	10Racksx96pcs	Natural
P11023	0.1-10 Extended (Graduated)	10Racksx96pcs	Natural
P11025	1-20 (Graduated)	10Racksx96pcs	Natural
P11027	1-50 (Graduated)	10Racksx96pcs	Natural
P11029	1-100 (Graduated)	10Racksx96pcs	Natural



TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP

P11033	1-200 (Graduated)	10Racksx96pcs	Natural
P11035	1-300 (Graduated)	10Racksx96pcs	Natural
P11037	100 – 1000ul	10Racksx96pcs	Natural
P11047	100 – 1000ul XL	10Racksx96pcs	Natural
P11048	100 – 1250ul	10Racksx96pcs	Natural
P10172	100 – 5000ul	6Racksx24pcs	Natural
P10173	500 – 10000ul	6Racksx24pcs	Natural

1.3.2 Fitting to pipettes: Universal Fit (For detail refer the Abdos compatibility chart)

1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 The product complies with USP class VI. Free from Heavy metals, it is safe to use in contact with food stuff, Pharmaceuticals & drinking water.
- 1.4.3 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Tip Colour -Natural

Wafer Colour - 10ul Green, 20 to 100ul Yellow, 200 to 300ul Orange, 1000ul Blue, 1000XL & 1250ul Light Blue, 5&10ml Purple



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP

- **1.6 Sterilization:** Sterile catalog number from this lot have been pre-sterilizes and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of healthcare products-Requirements for validation and routine control- Radiation sterilization.* The product has been sterilized with Co-60 Gamma Radiation. SAL 10⁻⁶
- **1.7 Quality control:** Products are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.
- **1.8 Other information:** Reusable, only box can be autoclavable up to 10 autoclave cycle. Super filter provides aerosol & aqueous liquid bypass prevention in over pipetting thereby preventing cross contamination. Hydrophobic filter that is additive free & does not absorb samples. Gen 2 Racked Filter Tips are offered in prefilled racks that do not require manual accumulation in empty boxes. Polypropylene racks are very robust, sturdy with consistent and thick wall thickness. Gen 2 Racks are hinged with transparent lid & base providing excellent view inside the box. Gen 2 Racks are stackable and reusable once empty. Tips are of single used only.

1.9. Basic Features:

1.9.1 Made up of : High Purity Virgin Polypropylene (PP)

1.9.2 Temperature range: -80° C to $+121^{\circ}$ C for 20 minutes

1.9.3 Autoclavability: Can be autocalve but might loosethe fitting of filters.

1.9.4 Chemical resistance: see website (www.abdoslifesciences.com)

1.9.5 Retention: Best in its class. (with Acidic & Basic dyes)

1.9.6 Manufactured in Clean room ISO Class 8 (100,000)



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP

1.9.7 ABDOS Super Filter Tips has a 100% pure, porous **polyethylene** (**PE**) **filter** that prevents aerosol contamination and carryover generated during sample aspiration. In addition, Filter Pipette Tip does not trap samples and allows for sample recovery in the event of overpipetting. 99.9% Bacterial Aerosol Filtration Efficiency (BFE), (ASTM F21012) Inert, hydrophobic PE filter does not trap or block the liquid. Free of leachables, extractables and heavy metals. Non-Cytotoxic (ISO 10993-5 MRM, Minimal Essential Media Elution, GLP CompliantNon-hemolytic.

1.9.8 Intended use: Widely used in scientific studies of molecular biology, clinical chemistry, biochemistry and any type of scientific laboratory.

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121° C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50° C before removing product.

Instruction for Use

Product can be used for food contact also. Storage temp. Max 30°C Before using the product check crackness, pouch punctured etc. Check all the information printed on pouches or boxes. Always wear gloves while handling specimens.



TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP


WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure

Consult local fire codes prior to storage of flammable liquids.



Quality Manager

Abdos Labtech Private Limited

Employee Code 30110



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Web: www.abdoslifesiences.com

TECHNICAL DATA SHEET

Doc No – Ab/TDS/LH-59 Rev No: 06 Date- 05/2024-25

Abdos Labtech Pvt. Ltd. Filter Pipette Tips, Sterile Racked, PP

