

Technical Data Sheet

Doc No – Ab/TDS/GLP-194

Rev No : 07 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Octagonal Magnetic Stirrer Bar, PTFE/Alnico v Magnet

Valid for Catalog No.

P80115, P80116, P80117, P80128, P80129, P80118, P80119, P80151, P80152, P80153

1. Description/Specification

1.1 Description:

Octagonal Magnetic Stirrer Bar

1.2 Design :

Octagonal

1.3 Performance Specification :

1.3.1 Provides low speed mixing of high volume of media and buffer solution.

1.3.2 Reduces marring of plastic containers.

1.3.3 Multifaceted surface adds turbulence

1.4 Material :

1.4.1 Pure Virgin Grade PTFE (Teflone) – Durable and inert, ANICO V Magnet

1.5 Color: White

1.6 Quality Control :

Testing of various characteristic in accordance with the valid Specification.

1.7 Basic Features :

1.7.1 Made up of Highly Pure Virgin PTFE Material.

1.7.2 Micro Magnetic Stirrer bars used for stirring of liquids on magnetic stirrers & hot plate stirrers

1.7.3 Resistance to virtual all chemical attacks.

1.8. With Stand Temperature up to 260°C.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslivesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet

Code	Type	H x L (mm)	No. pre Case	Basic Features
P80115	Octagonal Magnetic stirrer Bar	8x13	10	-Octagonal gives increased turbulence at low speed -Stirring of liquid on magnetic stirrer & hot Plate stirrers -Resistance to virtual all chemical attacks -Resistance temp up to 260 ⁰ C
P80116		8x25	10	
P80117		8x38	10	
P80128		8x51	10	
P80129		8x64	10	
P80118		10x51	10	
P80119		12x75	10	
P80151		10x13	10	
P80152		10x25	10	
P80153		10x38	10	

1.8 Basic Features:

1.8.1 Chemical resistance: see website (www.abdoslifesciences.com)

1.8.2 Manufactured in Aseptic Environment

1.8.3 Autoclavability: Yes

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure

Consult local fire codes prior to storage of flammable liquids.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet



Abdos Labtech Pvt. Ltd.

Plot No. 1 Lakshwari Bhagwanpur Roorkee 247667 (UK) India
Email : labtech@abdosindia.com, www.abdoslifesciences.com
Ph: +(91) 11 41081897



Quality Assurance Incharge
Abdos Labtech Pvt. Ltd.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakshwari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903

Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7