

Technical Data Sheet

Doc No – Ab/TDS/GLP-195

Rev No : 04 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Oval Magnetic Stirrer Bar, PTFE/Alnico v Magnet

Valid for Catalog No.

P80171, P80172, P80173, P80174, P80175, P80176, P80177, P80178, P80179, P80180, P80181

1. Description/Specification

1.1 Description:

Oval Magnetic Stirrer Bar, PTFE/Alnico v Magnet

1.2 Design :

Oval

1.3 Performance Specification :

1.3.1 Best suited for round bottom flask.

1.3.2 For the stirring of liquids on magnetic stirrers & hot plates stirrers.

1.3.3 Multifaceted surface adds turbulence

1.4 Material :

1.4.1 Pure Virgin Grade PTFE (Teflone) – Durable and inert, ANICO V Magnet

1.5 Color: White

1.6 Quality Control :

Testing of various characteristic in accordance with the valid Specification.

1.7 Basic Features :

1.7.1 Made up of Highly Pure Virgin PTFE Material.

1.7.2 Micro Magenetic Stirrer bars used for stirring of liquids on magnetic stirrers & hot plate stirrers

1.7.3 Resistance to virtual all chemical attacks.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet

Code	Type	OD x L (mm)	No./ Case	Basic Features
P80171	Oval Magnetic stirrer Bar	5x10	10	-Oval gives increased turbulence at low speed -Stirring of liquid on magnetic stirrer & hot Plate stirrers -Resistance to virtual all chemical attacks -Resistance temp upto 260 ⁰ C
P80172		6x15	10	
P80173		10x20	10	
P80174		10x25	10	
P80175		10x30	10	
P80176		16x30	10	
P80177		16x35	10	
P80178		20x40	10	
P80179		20x50	10	
P80180		20x64	10	
P80181		20x70	10	

1.8 Basic Features:

1.8.1 Chemical resistance: see website (www.abdoslifesciences.com)

1.8.2 Manufactured in Aseptic Environment

1.8.3 Autoclavability: Yes

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure

Consult local fire codes prior to storage of flammable liquids.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakshewari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet

