Doc No – Ab/TDS/LH-52

Rev No: 04 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Pipette Tips, Sterile Racked, PP

Valid for Cat. No. P10117, P10147, P10149, P10148, P10111, P10112, P10150, P10113, P10114, P10156, P10158, P10171, P10178

1. Description/Specification

1.1 Description:

- 1.1.1 Pipette Tips, Sterile Racked Tips, DNase, RNase, Human DNA, ATP & Pyrogen Free, CE & IVD certified.
- 1.1.2 Sterile by Gama Radiation.

1.2 Design:

Tip: Open Cylindrical Upper and conical Apex with orifice for liquid dispensing

Box: Rectangular Box with Transparent Top Cover with slip lock.

Removable Micro tip Tray Suitable to Work in a Robotic System.

Compatible for use with Multichannel Pipettes

Top cover mark A-H in Y-axis for easy discrimination.

1.3 Performance Specifications:

Code	Capacity (µl)	No./Case	Colour
P10117	0.1-10 (Graduated)	10Racksx96pcs	Natural
P10147	0.1-10 Extended (Graduated)	10Racksx96pcs	Natural
P10149	1-200 (Bevelled Graduated)	10Racksx96pcs	Yellow
P10148	1-200 (Bevelled Graduated)	10Racksx96pcs	Natural
P10111	1-200 (Ultra Point Tip Orifice)	10Racksx96pcs	Yellow
P10112	1-200 (Ultra Point Tip Orifice)	10Racksx96pcs	Natural
P10150	1-300 (Graduated)	10Racksx96pcs	Natural
P10113	100 – 1000ul	10Racksx96pcs	Blue
P10114	100 – 1000ul	10Racksx96pcs	Natural
P10156	100 – 1000ul XL	10Racksx96pcs	Natural
P10158	100 – 1250ul	10Racksx96pcs	Natural



Ph. No: +91- (0) 1332235277

GST: 05AAGCA8605A1Z7

Email:labtech@abdosindia.com Web: www.abdoslifesiences.com

P10171	1 – 5ml	6Racksx24pcs	Natural
P10178	500 – 10000ul	6Racksx24pcs	Natural

1.3.2 Fitting to pipettes: Universal Fit (For detail refer the Abdos compatibility chart)

1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 The product has passed the USP testing including class VI tests ,Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations1935/2004/CE,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Tip Colour -Natural, Yellow and Blue

Wafer Colour - 10ul Green, 20 to 100ul Yellow, 200 to 300ul Orange, 1000ul Blue, 1000XL & 1250ul Light Blue

1.6 Sterilization:

Sterile catalog number from this lot have been pre-sterilizes and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of healthcare products-Requirements for validation and routine control-Radiation sterilization*. The product has been sterilized with Co-60 Gamma Radiation. SAL 10⁻⁶

1.7 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release

1.8 Other information:

Reusable, only box can be autoclavable up to 10 autoclave cycle

Tips are of single used only.

Abdos Labtech Private Limited

1.9. Basic Features:

1.9.1 Made up of : High Purity Virgin Polypropylene (PP)



1.9.2 Temperature range : -80° C to $+ 121^{\circ}$ C for 20 minutes

1.9.3 Autoclavability: Yes, Autoclavable at 15 psi and 121 0 C for 20 minutes

1.9.4 Chemical resistance: see website (www.abdoslifesciences.com)

1.9.5 Retention: Best in its class. (with Acidic & Basic dyes)

1.9.6 Manufactured in Clean room ISO Class 8 (100,000)

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.


Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.



(An ISO 9001,13485,14001,18385,GMP & CE certified company)

Abdos Labtech Private Limited

Plot No-1, Lakheswari, Bhagwanpur,

(A Divison of Abdos Group)

Shiv Ganga Industrial Estate

Roorkee-247667, (UK) INDIA




Corporate Office 319, 3rd Floor, DLF Tower A, DDA Dist. Centre Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com









Abdos Labtech Private Limited (A Divison of Abdos Group) (An ISO 9001,13485,14001,18385,GMP & CE certified company) Shiv Ganga Industrial Estate Plot No-1, Lakheswari, Bhagwanpur, Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7