Technical Data Sheet

Doc No - Ab/TDS/MRB-137-II

Rev No: 04 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Polywire Rack Half, Delrin

Valid for Cat. No. P20720, P20721, P20722, P20723, P20724

1. Description/Specification:

1.1 Description:

Polywire Racks Half, Delrin

- 1.1.1 Polywire racks are durable, molded in a single continuous piece so no assembly required and there are no detachable pieces.
- 1.1.2 Manufactured from Delrin® which is very tough, highly resistant to acids, bases solvents and heat.

1.2 Design:

Ergonomic design for easy handling, Racks have precise grid and vials.

1.3 Performance Specifications:

Code	Tubes (mm)	Places	L x W x H (mm)	No. per Case
P20720	13	36	104x104x59	4
P20721	16	36	127x127x70	4
P20722	20 (15ml Tube)	20	100x127x83	4
P20723	25	16	120x122x92	4
P20724	30 (50ml Tube)	9	110x110x85	4

1.4 Material:

- 1.4.1 Delrin, Hydrophobic, confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests ,Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations1935/2004/CE ,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water



(An ISO 9001,13485,14001,18385,GMP & CE certified company)

Abdos Labtech Private Limited

(A Divison of Abdos Group)

Shiv Ganga Industrial Estate

Technical Data Sheet

1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color: White, Blue, Red

1.6 Sterilization:

NA

1.7 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

1.8 Other information

Reusable, can be used in wide temperature range

1.9. Basic Features

1.9.1 Temperature range: -40° C to $+140^{\circ}$ C

1.9.2 Autoclavability: Yes, Autoclavable at 15 psi and 121 °C for 20 minutes

1.9.3 Chemical resistance: See website (www.abdoslifesciences.com)

1.9.4 Manufactured in Aseptic Environment

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com Web: www.abdoslifesiences.com

Technical Data Sheet

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.





Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7