# Technical Data Sheet

Doc No – Ab/TDS/LH-82-II

Rev No: 06 Date 10/2021-22

## TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

**RIA Vials & Caps (12x40)** 

Valid for Cat. No. Vial- P10305, P10305A, P10305A1, P10306,

Cap- P10304, P10304A, P10304A1, P10307, P10302

## 1. Description/Specification

**1.1 Description:** Disposable Vials and Caps, DNase, RNase, Pyrogen Free, CE & IVD certified

### 1.2 Design:

1.2.1 Vial: Cylindrical with Round Bottom

1.2.3 Cap: separate Cap

## 1.3 Performance Specifications:

**Ria Vial** – 12 x 40 mm (P10305 – PP Natural, P10305A – PP-Amber, P10305A1-PP-Transparent Amber, P10306- PS Natural)

Ria Vial Cap – (P10304 – HDPE Natural, P10304A-PE Amber, P10304A1-HDPE Transparent Amber, P10307 –PP Natural P10302 – LDPE Natural)

1.3.1 Volume : 2.8 ml + 0.1 ml

1.3.2 Size :  $12 \times 40 \text{ mm}$  Cap Size :  $12 \text{mm} (\varphi)$ 

#### 1.4 Material:

- 1.4.1 Vial Made up of Hydrophobic Polypropylene (PP, **P10305**) and Polystyrene (PS), **P10306**), Cap made up HDPE, confirm US FDA 21CFR
- 1.4.2 Complies with requirement accordance with article of regulation (EC) No. 1907/2006 and its amendments.
- 1.4.3 Complies with the requirement of European Pharmacopoeia, 7<sup>th</sup> edition (2011) & its supplements 7.5 (07/2012) monographs 3.2.2 Plastic Containers and closures for Pharmaceutical use.
- 1.4.4 The product has passed the USP testing including class VI tests & has been assigned the FDA Drug master file DMF 12123



**Shiv Ganga Industrial Estate,** Plot no.1 Lakeshwari, Bhagwanpur, Roorkee – 247667 Uttrakhand, India Regd. Office:

13A, Government Place (East) Kolkata – 700069, India

**An ISO 9001 ,13485, 14001 & CE Certified**A Division of Abdos **GST :** 05AAGCA8605A1Z7

P:+91 (0) 1332 235277

Place (East)

E: labtech@abdosindia.com

W: www.abdoslifesciences.com

CIN: U85100WB2008PTC123903

# **Technical Data Sheet**

- 1.4.5 Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.6 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.7 Product is manufactured without the use of Raw Materials of animal origin Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.
- 1.4.8 **PS** Material is stable and inert in normal handling & storage conditions.

### **1.5 Color:**

**PP** – Translucent, and **PS**- Glass Clear Transparent

### 1.6 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

### 1.7 Other information

Recommended for single use only

Vial Pack Size: 500 pieces/case Cap Pack Size: 500 pieces/case

1.8 Basic Features

**1.81 Temperature range:** Tube: -80°C to +121°C for **PP** 

Tube :  $10^{0}\text{C} + 90^{0}\text{C}$  for **PS** 

**1.8.2 Autoclavability:** Only **PP** is Autoclavable at 15 psi and 121°C for 20 minutes

**1.8.3 Centrifugation: PP-3**,000 RCF, **PS** – 1400 RCF (With Distilled water at 25°C)

1.8.3 Leak Test at 400 mm Hg: No leakage

**1.8.4 Chemical resistance:** See website (www.abdoslifesciences.com)

**1.8.5** Manufactured in Clean room ISO Class 8 (100,000)



A Division of Abdos

Shiv Ganga Industrial Estate, Plot no.1 Lakeshwari, Bhagwanpur,

Roorkee – 247667 Uttrakhand, India

13A, Government Place (East) Kolkata – 700069, India

**GST:** 05AAGCA8605A1Z7

Regd. Office:

An ISO 9001 ,13485, 14001 & CE Certified

E: labtech@abdosindia.com W: www.abdoslifesciences.com CIN: U85100WB2008PTC123903

**P**: +91 (0) 1332 235277

# **Technical Data Sheet**

# **Autoclaving Guideline for Plastics (Only for PP RIA Vial)**

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.





Shiv Ganga Industrial Estate,

Plot no.1 Lakeshwari, Bhagwanpur, Roorkee – 247667 Uttrakhand, India

An ISO 9001 ,13485, 14001 & CE Certified

A Division of Abdos

Regd. Office:

13A, Government Place (East) Kolkata – 700069, India

W: www.abdoslifesciences.com CIN: U85100WB2008PTC123903

E: labtech@abdosindia.com

**P**:+91(0)1332235277

**GST**: 05AAGCA8605A1Z7