

# Technical Data Sheet

Doc No – Ab/TDS/CT-07

Rev No : 09 Date 02/2022-23

## TECHNICAL DATA SHEET

**Abdos Labtech Pvt. Ltd.**

**Self-Standing Centrifuge Tubes, PP/HDPE**

**Valid For Cat. No. P10423, P10424, P10450, P10432, P10449**

**SRN (Single Registration Number): IN-MF-000022272**

### 1. Description/Specification

#### 1.1 Description:

Disposable PP/HDPE centrifuge tube, DNase, RNase, Human DNA, ATP & Pyrogen Free, CE & IVD certified

#### 1.2 Design:

1.2.1 Tube: Cylindrical Upper and conical Bottom with self-stand (skirted)

1.2.2 Tube Cap: Separate Threaded HDPE Cap

#### 1.3 Performance Specifications:

Code	Capacity (ml)	OD (mm)	Height (mm)	Sterile	Colour	No./Case
<b>P10432</b>	50 Bulk	29.2	117.3	NO	Blue	500
<b>P10423</b>	50	29.2	117.3	NO	Blue	500
<b>P10449</b>	50	29.2	117.3	NO	Red	500
<b>P10424</b>	50	29.2	117.3	YES	Blue	500
<b>P10450</b>	50	29.2	117.3	YES	Red	500

#### 1.4 Material:

1.4.1 Tube - Polypropylene (PP) & Cap- High Density Polyethylene (HDPE) confirm US FDA 21CFR

1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.

1.4.3 The product has passed the USP testing including class VI tests. Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water



**Abdos Labtech Private Limited**  
(A Division of Abdos Group)  
(An ISO 9001,13485,14001,18385,GMP & CE certified company)  
Shiv Ganga Industrial Estate  
Plot No-1, Lakheswari, Bhagwanpur,  
Roorkee-247667, (UK) INDIA

**Registered office**  
13A Government  
Place East, 2nd Floor Kolkata  
West Bengal – 700069  
CIN: U85100WB2008PTC123903

**Corporate Office**  
319, 3rd Floor, DLF Tower A, DDA Dist. Centre  
Jasola, New Delhi - 110025

**Ph. No: +91- (0) 1332235277**  
**Email: labtech@abdosindia.com**  
**Web: [www.abdoslifesciences.com](http://www.abdoslifesciences.com)**  
**GST: 05AAGCA8605A1Z7**

# Technical Data Sheet

1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore, BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

## 1.5 Color:

**Tube color-** Translucent (Natural)

**Cap color-** Blue/Red

## 1.6 Graduation and writing surface:

1.6.1 Large Printed Graduation

1.6.2 White Patch for easy writing on the tube

1.6.3 Printed Max Freeze Level Indicator with Red Colour

## 1.7 Sterilization:

**Sterile catalog number** from this lot have been pre-sterilized and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of healthcare products-Requirements for validation and routine control- Radiation sterilization*. The product has been sterilized with Co-60 Gamma Radiation. SAL  $10^{-6}$

## 1.8 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

## 1.9 Other information

Recommended for single use only

## 2. Basic Features

**2.1 Temperature range:** Tube:-80<sup>0</sup>C to +121<sup>0</sup>C

**2.2 Autoclavability:** Yes, Autoclavable at 15 psi and 121<sup>0</sup>C for 20 minutes

**2.3 Centrifugation:** 7000 RCF (Rated with Double Distilled water at 10<sup>0</sup>C for 30 minutes)

**2.4 Leak Test at 635 mm Hg:** No leakage

**2.5 Manufactured in Clean room ISO Class 8 (100,000)**

**2.6 Chemical resistance:** see website ([www.abdoslifesciences.com](http://www.abdoslifesciences.com))

\*Depending on the quality of Centrifuge and compatibility of Rotor.

## Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121<sup>0</sup>C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50<sup>0</sup>C before removing product.



Abdos Labtech Private Limited  
(A Division of Abdos Group)  
(An ISO 9001,13485,14001,18385,GMP & CE certified company)  
Shiv Ganga Industrial Estate  
Plot No-1, Lakhewari, Bhagwanpur,  
Roorkee-247667, (UK) INDIA

**Registered office**  
13A Government  
Place East, 2nd Floor Kolkata  
West Bengal – 700069  
CIN: U85100WB2008PTC123903  
**Corporate Office**  
319, 3rd Floor, DLF Tower A, DDA Dist. Centre  
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277  
Email: [labtech@abdosindia.com](mailto:labtech@abdosindia.com)  
Web: [www.abdoslifesciences.com](http://www.abdoslifesciences.com)  
GST: 05AAGCA8605A1Z7

# Technical Data Sheet

## Instruction for Use

Product can be used for food contact also.  
Storage temp. Max 30°C  
Before using the product check crackness, pouch punctured etc.  
Check all the information printed on pouches or boxes.  
Always wear gloves while handling specimen.  
Ensure all sample tubes are evenly filled  
For each tube inserted in the rotor, add a tube of equal weight directly opposite it.

## WARNING

**DO NOT** store strong oxidizing agents.  
**DO NOT** place any plastic labware in a flame.  
**DO NOT** mix any chemicals that may result in a thermic reaction, which can cause product failure  
Wear a face shield and / or safety goggles if you have to work anywhere near a centrifuge that's in use.  
**Do not bump, jar, or move the centrifuge while the rotor is spinning.** Make sure you don't have the cord dangling from a table edge where someone could catch their foot in it and pull down the centrifuge  
Consult local fire codes prior to storage of flammable liquids.

**UKRP**  
Obelis UK LTD  
Sandford Gate,  
East Point Business Park,  
Oxford OX4 6LB  
United Kingdom  
Tel: +44.1491.378012  
info@obelis.co.uk

**UK  
CA**

**STERILE R**

30°C

**CE**


**IVD**

**EC REP**

Obelis s.a.  
Bd General Wahis 53  
1030 Brussels Belgium  
Tel: +(32) 2 732-59-54  
Fax: +(32) 2 732-60-03  
mail@obelis.net

**Abdos Labtech Pvt. Ltd.**  
Plot No. 1 Lakeshwari Bhagwanpur Roorkee 247667 (UK) India  
Email : labtech@abdosindia.com, www.abdoslifesciences.com  
Ph: +(91) 11 41081897

**Electronic iFU**



Quality Manager

Abdos Labtech Private Limited

Employee Code 30110

