## **Technical Data Sheet**

Doc No – Ab/TDS/RB-168

Rev No: 03 Date 02/2022-23

## TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Spatula, PP

Valid for Catalog No. P70707, P70708

## 1. Description/Specification

### 1.1 Description:

Reusable PP (Polypropylene) Spatula

#### 1.2 Design:

Consists of a spoon on one side while the other end is flat construction with a knife edge

## 1.3 Performance Specification:

- **1.3.1** Ideal for dispensing or sample collection of powders or soft solids
- **1.3.2** Autoclavable and complies with FDA standards for food contact
- **1.3.3** Can be used with dilute acids and bases.
- **1.3.4** This edge is helpful in breaking up crystals of different salts while the spoon is used to draw salts from the containers

#### 1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests, Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations1935/2004/CE ,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

Jasola, New Delhi - 110025

1.5 Color: Blue

#### 1.6 Sterilization:

NA



## **Technical Data Sheet**

### 1.7 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments.

- 1.8 Basic Features
- **1.8.1 Made up of** High pure virgin Polypropylene (PP)
- **1.8.2 Temperature range:**  $-80^{\circ}$ C to  $+121^{\circ}$ C
- **1.8.3 Autoclavability:** Yes, Autoclavable at 15 psi and 121<sup>o</sup>C for 20 minutes
- **1.8.4 Chemical resistance:** See website website (www.abdoslifesciences.com)
- **1.8.5 P70707** (150mm) & **P70708** ( 200mm)
- **1.8.6** Pack of 120
- **1.8.7 Manufactured** in Aseptic Environment

#### **Autoclaving Guideline for Plastics**

All plastic consumables are autoclavable at  $121^{0}$ C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least  $50^{0}$ C before removing product.

#### **Instruction for Use**

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

## **WARNING**

**DO NOT** store strong oxidizing agents.

**DO NOT** place any plastic labware in a flame.

**DO NOT** mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

# **Technical Data Sheet**







Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7