## **Technical Data Sheet**

Doc No – Ab/TDS/GLP-183-II

Rev No: 04 Date 02/2022-23

#### TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

#### **Vacuum Desiccator**

Valid for Catalog No. E11605, E11606, E11607, E11608

- 1. Description/Specification
- 1.1 Description:

Vacuum Desiccators, PP/PC

1.2 Design:

Round

- 1.3 Performance Specification:
- **1.3.1** Desiccators are enclosures containing desiccants for preserving moisture sensitive products.
- **1.3.2** These desiccators are moulded in high quality plastics which is light & easy to handle.
- **1.3.3** Silicone O-ring assures tight seal down to 0°C without using grease.
- **1.3.4** Bottom part of the desiccators comes with thick perforated polypropylene disc with big holes in the middle for easy lifting.

#### 1.4 Material:

- 1.4.1 Polypropylene (PP) & Polycarbonate (PC) confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests, Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.
- **1.5 Color:** Transparent & White Abdos Labtech Private Limited

(A Divison of Abdos Group)



Registered office

13A Government Place East, 2nd Floor Kolkata West Bengal - 700069 CIN: U85100WB2008PTC123903 Corporate Office 319, 3rd Floor, DLF Tower A, DDA Dist. Centre Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7

# **Technical Data Sheet**

#### **1.6 Quality Control:**

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments.

#### 1.7 Basic Features:

- 1.7.1 Made up of Highly Pure Virgin Polypropylene & Polycarbonate.
- 1.7.2 Polypropylene stopcock with PTEE.
- 1.7.3 Use with disposable or reusable desiccant.

#### 1.8 Specification:

Code	Material	Plate Diameter (mm)	Inside Diameter (mm)	Flange Outer Diameter (mm)	Overall Height (mm)	Product
E11605	PP/PC	150	145	170	210	Vacuum Desiccator
E11606	PP/PC	200	195	230	270	Vacuum Desiccator
E11607	PP/PC	250	240	275	330	Vacuum Desiccator
E11608	PP/PC	300	297	338	410	Vacuum Desiccator

#### 1.9 Spare Accessories:

E11621 – Silicone ring for 150mm Desiccator

E11622 – Silicone ring for 200mm Desiccator

E11623– Silicone ring for 250mm Desiccator

E11624– Silicone ring for 300mm Desiccator

E11620 - Stop Cock for Vacuum Desiccator

2. Basic Features

2.1 Autoclavability: NA

**2.2 Chemical resistance:** See website (www.abdoslifesciences.com)

**2.3** Manufactured in Aseptic Environment



## **Technical Data Sheet**

#### **Instruction for Use**

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

#### **WARNING**

**DO NOT** store strong oxidizing agents.

**DO NOT** place any plastic labware in a flame.

**DO NOT** mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.

This desiccator is designed for room-temperature use only, whether used with or without vacuum.

**DO NOT** expose the desiccator directly to the following chemicals or their vapors: strong bases, esters, aromatic or halogenated hydrocarbon or ketones. These chemicals will attack polycarbonate.

**NEVER** autoclave the desiccator.

**DO NOT** expose the propylene bowl to temperatures below freezing.

### **Care & Cleaning**

Use a warm soap or neutral pH detergent and rinse thoroughly. NEVER use organic solvent, strongly alkaline cleaning agents or abrasives.







Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7